

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 10/16/2015

Reviewed on 10/16/2015

## 1 Identification

- **Product identifier**
- **Trade name:** W.R.A.P.
- **Article number:** No other identifiers
- **Recommended use and restriction on use**
- **Recommended use:** Coating material
- **Restrictions on use:** Contact manufacturer.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Klein and Company, Inc.  
165-167 Hickory Springs Industrial Drive  
Canton, GA 30115  
(800)241-0681
- **Emergency telephone number:**  
ChemTel Inc.  
+1 (800)255-3924, +1 (813)248-0585

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- **Additional information:**

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS02 GHS07 GHS08

(Cont'd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 10/16/2015

Reviewed on 10/16/2015

Trade name: W.R.A.P.

(Cont'd. of page 1)

- **Signal word:** Danger
- **Hazard-determining components of labeling:**  
mineral spirits
- **Hazard statements:**  
H226 Flammable liquid and vapor.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H304 May be fatal if swallowed and enters airways.
- **Precautionary statements:**  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P264 Wash thoroughly after handling.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P233 Keep container tightly closed.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P370+P378 In case of fire: Use foam, powder, or carbon dioxide for extinction.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P331 Do NOT induce vomiting.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P405 Store locked up.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- **Dangerous components:**

(Cont'd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 10/16/2015

Reviewed on 10/16/2015

Trade name: **W.R.A.P.**

(Cont'd. of page 2)

64475-85-0	mineral spirits ⚠ Flam. Liq. 3, H226 ⚠ Asp. Tox. 1, H304 ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319	50-100%
64742-89-8	Solvent naphtha (petroleum), light aliph. ⚠ Asp. Tox. 1, H304	≤ 2,5%
1330-20-7	xylenes ⚠ Flam. Liq. 3, H226 ⚠ Asp. Tox. 1, H304 ⚠ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335-H336 Eye Irrit. 2B, H320	≤ 2,5%

· **Additional information:**

For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret.

## 4 First-aid measures

· **Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

· **After inhalation:**

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

A person vomiting while lying on their back should be turned onto their side.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed:**

Breathing difficulty

Coughing

Dizziness

Gastric or intestinal disorders when ingested.

Irritant to skin and mucous membranes.

Irritant to eyes.

Disorientation

· **Danger:**

Danger of impaired breathing.

May be fatal if swallowed and enters airways.

Repeated exposure may cause skin dryness or cracking.

(Cont'd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 10/16/2015

Reviewed on 10/16/2015

Trade name: W.R.A.P.

(Cont'd. of page 3)

- **Indication of any immediate medical attention and special treatment needed:**

If swallowed, gastric irrigation with added, activated carbon.  
 If swallowed or in case of vomiting, danger of entering the lungs.  
 If necessary oxygen respiration treatment.  
 Later observation for pneumonia and pulmonary edema.  
 If medical advice is needed, have product container or label at hand.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** In case of fire: Use foam, powder, or carbon dioxide for extinction.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture**  
 Flammable liquid and vapor.  
 Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**  
 Wear self-contained respiratory protective device.  
 Wear fully protective suit.
- **Additional information:**  
 Eliminate all ignition sources if safe to do so.  
 Cool endangered receptacles with water fog.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**  
 Use respiratory protective device against the effects of fumes/dust/aerosol.  
 Wear protective equipment. Keep unprotected persons away.  
 Ensure adequate ventilation.  
 Keep away from ignition sources.  
 Protect from heat.
- **Environmental precautions:**  
 Do not allow to enter sewers/ surface or ground water.  
 Prevent from spreading (e.g. by damming-in or oil barriers).
- **Methods and material for containment and cleaning up:**  
 Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).  
 Dispose contaminated material as waste according to item 13.  
 Do not flush with water or aqueous cleansing agents
- **Reference to other sections:**  
 See Section 7 for information on safe handling.  
 See Section 8 for information on personal protection equipment.  
 See Section 13 for disposal information.

(Cont'd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 10/16/2015

Reviewed on 10/16/2015

Trade name: W.R.A.P.

(Cont'd. of page 4)

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
  - Prevent formation of aerosols.
  - Avoid splashes or spray in enclosed areas.
  - Use only in well ventilated areas.
- **Information about protection against explosions and fires:**
  - Keep ignition sources away - Do not smoke.
  - Flammable gas-air mixtures may be formed in empty receptacles.
  - Flammable liquid and vapor.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
  - Provide ventilation for receptacles.
  - Avoid storage near extreme heat, ignition sources or open flame.
- **Information about storage in one common storage facility:**
  - Store away from foodstuffs.
  - Store away from oxidizing agents.
- **Further information about storage conditions:** Keep containers tightly sealed.
- **Specific end use(s):** No relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

### Components with limit values that require monitoring at the workplace:

#### 1330-20-7 xylenes

PEL (USA)	Long-term value: 435 mg/m <sup>3</sup> , 100 ppm
REL (USA)	Short-term value: 655 mg/m <sup>3</sup> , 150 ppm Long-term value: 435 mg/m <sup>3</sup> , 100 ppm
TLV (USA)	Short-term value: 651 mg/m <sup>3</sup> , 150 ppm Long-term value: 434 mg/m <sup>3</sup> , 100 ppm BEI
EL (Canada)	Short-term value: 150 ppm Long-term value: 100 ppm
EV (Canada)	Short-term value: 650 mg/m <sup>3</sup> , 150 ppm Long-term value: 435 mg/m <sup>3</sup> , 100 ppm
LMPE (Mexico)	Short-term value: 150 ppm Long-term value: 100 ppm A4, IBE

(Cont'd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 10/16/2015

Reviewed on 10/16/2015

Trade name: W.R.A.P.

(Cont'd. of page 5)

### · Ingredients with biological limit values:

#### 1330-20-7 xylenes

BEI (USA)	1.5 g/g creatinine Medium: urine Time: end of shift Parameter: Methylhippuric acids
-----------	--

### · Exposure controls

#### · Personal protective equipment:

#### · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

#### · Engineering controls: No relevant information available.

#### · Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

#### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

For the protection against chemicals in areas with heightened risk of injury (mechanical hazard) no recommendation for a suitable glove material can be given.

#### · Material of gloves

Butyl rubber, BR

Neoprene gloves

#### · Eye protection:



Safety glasses

#### · Body protection: Protective work clothing

#### · Limitation and supervision of exposure into the environment No relevant information available.

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General information

#### · Appearance:

Form: Liquid

Color: Clear

(Cont'd. on page 7)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 10/16/2015

Reviewed on 10/16/2015

Trade name: W.R.A.P.

(Cont'd. of page 6)

· <b>Odor:</b>	Hydrocarbon.
· <b>Odor threshold:</b>	Not determined.
· <b>pH-value:</b>	Not determined.
· <b>Change in condition:</b>	
<b>Melting point/Melting range:</b>	Not determined.
<b>Boiling point/Boiling range:</b>	150-210 °C (302-410 °F)
· <b>Flash point:</b>	40 °C (104 °F)
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Auto-ignition temperature:</b>	Not determined.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not self-igniting.
· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· <b>Explosion limits:</b>	
<b>Lower:</b>	1.0 Vol % (Estimate)
<b>Upper:</b>	7.0 Vol % (Estimate)
· <b>Oxidizing properties:</b>	Non-oxidizing.
· <b>Vapor pressure at 20 °C (68 °F):</b>	<2.7 hPa (<2 mm Hg) (<2 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	0.787 g/cm <sup>3</sup> (6.568 lbs/gal)
· <b>Relative density:</b>	Not determined.
· <b>Vapor density:</b>	Not determined.
· <b>Evaporation rate:</b>	Not determined.
· <b>Solubility in / Miscibility with:</b>	
<b>Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	0.0262
· <b>Viscosity:</b>	
<b>Dynamic:</b>	3 cP
<b>Kinematic at 40 °C (104 °F):</b>	3.8 mm <sup>2</sup> /s
<b>VOC content:</b>	95.24 % Vol (EPA 24)
· <b>Other information</b>	No relevant information available.

### 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions:**  
Used empty containers may contain product gases which form explosive mixtures with air.  
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

(Cont'd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 10/16/2015

Reviewed on 10/16/2015

Trade name: W.R.A.P.

(Cont'd. of page 7)

Flammable liquid and vapor.  
Toxic fumes may be released if heated above the decomposition point.  
Reacts with oxidizing agents.

- **Conditions to avoid:**

Keep ignition sources away - Do not smoke.  
Store away from oxidizing agents.

- **Incompatible materials:** No relevant information available.

- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

## 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:** None.

- **Primary irritant effect:**

- **On the skin:** Irritant to skin and mucous membranes.

- **On the eye:** Irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

Inhalation of concentrated vapors as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

100-41-4	ethylbenzene	2B
----------	--------------	----

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable route(s) of exposure:**

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- **Acute effects (acute toxicity, irritation and corrosivity):**

Irritating to eyes and skin.

May be fatal if swallowed and enters airways.

- **Repeated dose toxicity:** Repeated exposure may cause skin dryness or cracking.

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

- **Carcinogenicity:** Based on available data, the classification criteria are not met.

- **Reproductive toxicity:** Based on available data, the classification criteria are not met.

- **STOT-single exposure:** Based on available data, the classification criteria are not met.

- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

- **Aspiration hazard:** May be fatal if swallowed and enters airways.

(Cont'd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 10/16/2015

Reviewed on 10/16/2015

Trade name: W.R.A.P.

(Cont'd. of page 8)

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No relevant information available.
- **Persistence and degradability:** No relevant information available.
- **Behavior in environmental systems**
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Other adverse effects:** No relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT</b></li> </ul>  | <p>Exempt<br/>Reclassified as combustible under US DOT regulations. Labeling is only required for single packages <math>\geq 119</math> US gal / 450 L to include Combustible symbol and Proper Shipping Name.</p> |
| <ul style="list-style-type: none"> <li>· <b>ADR, IMDG, IATA</b></li> </ul>  | <p>UN1268</p>  |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG, IATA</b></li> </ul> | <p>Exempt<br/>1268 PETROLEUM DISTILLATES, N.O.S.<br/>PETROLEUM DISTILLATES, N.O.S.</p>   |

(Cont'd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 10/16/2015

Reviewed on 10/16/2015

Trade name: W.R.A.P.

(Cont'd. of page 9)

- **Transport hazard class(es)**

- **DOT**



- **Class**

3 - In bulk only. Flammable liquids

- **ADR**



- **Class**

3 (F1) Flammable liquids

- **Label**

3

- **IMDG, IATA**



- **Class**

3 Flammable liquids

- **Label**

3

- **Packing group**

- **DOT**

III - In bulk only.

- **ADR, IMDG, IATA**

III

- **Environmental hazards**

Not applicable.

- **Special precautions for user**

Warning: Flammable liquids

- **Danger code (Kemler):**

30

- **EMS Number:**

F-E,S-E

- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

- **UN "Model Regulation"**

UN 1268 PETROLEUM DISTILLATES, N.O.S., 3, III

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

- **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 304 (emergency release notification):**

None of the ingredients are listed.

(Cont'd. on page 11)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 10/16/2015

Reviewed on 10/16/2015

Trade name: W.R.A.P.

(Cont'd. of page 10)

<ul style="list-style-type: none"> <li>· <b>Sections 311/312 (hazardous chemical threshold planning quantity in pounds):</b></li> </ul>
---

None of the ingredients are listed.
-------------------------------------

<ul style="list-style-type: none"> <li>· <b>Section 355 (extremely hazardous substances):</b></li> </ul>
--

None of the ingredients are listed.
-------------------------------------

<ul style="list-style-type: none"> <li>· <b>Section 313 (Specific toxic chemical listings):</b></li> </ul>
--

None of the ingredients are listed.
-------------------------------------

<ul style="list-style-type: none"> <li>· <b>TSCA (Toxic Substances Control Act)</b></li> </ul>
--

All ingredients are listed.
-----------------------------

<ul style="list-style-type: none"> <li>· <b>Proposition 65 (California)</b></li> </ul>
--

<ul style="list-style-type: none"> <li>· <b>Chemicals known to cause cancer:</b></li> </ul>
---

Present in trace quantities.
------------------------------

100-41-4   ethylbenzene
-------------------------

<ul style="list-style-type: none"> <li>· <b>Chemicals known to cause reproductive toxicity for females:</b></li> </ul>
--

None of the ingredients are listed.
-------------------------------------

<ul style="list-style-type: none"> <li>· <b>Chemicals known to cause reproductive toxicity for males:</b></li> </ul>
--

None of the ingredients are listed.
-------------------------------------

<ul style="list-style-type: none"> <li>· <b>Chemicals known to cause developmental toxicity:</b></li> </ul>
---

None of the ingredients are listed.
-------------------------------------

<ul style="list-style-type: none"> <li>· <b>Carcinogenic categories</b></li> </ul>
--

<ul style="list-style-type: none"> <li>· <b>EPA (Environmental Protection Agency):</b></li> </ul>
---

1330-20-7   xylenes	I
---------------------	---

<ul style="list-style-type: none"> <li>· <b>IARC (International Agency for Research on Cancer):</b></li> </ul>
--

1330-20-7   xylenes	3
---------------------	---

<ul style="list-style-type: none"> <li>· <b>TLV (Threshold Limit Value established by ACGIH):</b></li> </ul>
--

1330-20-7   xylenes	A4
---------------------	----

<ul style="list-style-type: none"> <li>· <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b></li> </ul>
--

None of the ingredients are listed.
-------------------------------------

<ul style="list-style-type: none"> <li>· <b>Canadian substance listings</b></li> </ul>
--

<ul style="list-style-type: none"> <li>· <b>Canadian Domestic Substances List (DSL):</b></li> </ul>
---

All ingredients listed on DSL or NDSL.
--

<ul style="list-style-type: none"> <li>· <b>Canadian Ingredient Disclosure list (limit 0.1%):</b></li> </ul>
--

None of the ingredients are listed.
-------------------------------------

<ul style="list-style-type: none"> <li>· <b>Canadian Ingredient Disclosure list (limit 1%):</b></li> </ul>
--

None of the ingredients are listed.
-------------------------------------

<ul style="list-style-type: none"> <li>· <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.</li> </ul>
---

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Cont'd. on page 12)

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 10/16/2015

Reviewed on 10/16/2015

**Trade name: W.R.A.P.**

(Cont'd. of page 11)

· **Date of preparation / last revision** 10/16/2015 / -

· **Abbreviations and acronyms:**

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

· **Sources**

Website, European Chemicals Agency (<http://http://echa.europa.eu/>)

Website, US EPA Substance Registry Services ([http://http://ofmpub.epa.gov/sor\\_internet/registry/substreg/home/overview/home.do](http://http://ofmpub.epa.gov/sor_internet/registry/substreg/home/overview/home.do))

Website, Chemical Abstracts Registry, American Chemical Society (<https://www.cas.org>)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)